Chujo Y, Sada K, Kawasaki T, Ihara E, Saegusa T: Gelation of telechelic trimethoxysilyl-terminated polyoxazolines 311

Chujo Y, Tomita I, Saegusa T: Hydroboration polymerization of dicyano compounds. II. Reactions of isophthalonitrile with primary or secondary alkylborane 547

Chujo Y, Tomita I, Saegusa T: Hydroboration polymerization of dicyano compounds. III. Synthesis of poly(cyclodiborane)s by the reaction of α,ω-dicyanoalkanes with thexylborane 553

Comăniţă E, Popa AA, Aldea R, Cârjă G, Simionescu CI: 2-Cyano-2-butylazoformamidoethyl 4-*t*-butylazo-4-cyanopentanoate synthesis and its behaviour in methyl methacrylate polymerization 15

Costa MAS, Coutinho FMB, Santa Maria LC: The influence of some synthesis parameters on Ziegler-Natta catalyst performance. 2. Effect on polypropylene morphology 249

Coutinho FMB see Costa MAS

Coutinho FMB see Marques MFV

Coutinho FMB see Rabelo D

Cowie JMG, Watson LM, McEwen IJ: The effect of replacing the α-hydrogen with a methyl group on the miscibility of systems containing styrene, methacrylonitrile, and methyl methacrylate 729

Czigány T, Karger-Kocsis J: Comparison of the failure mode in short and long glass fiber-reinforced injection-molded polypropylene composites by acoustic emission 495

Delgado JA see Peña B

Dellacherie E, Bonneaux F: A new approach to aldehydic dextrans 145

Demharter S, Rösch J, Mülhaupt R: Anisotropic polyaramide/polyol dispersions - new components for the preparation of polyurethane microcomposites 421

Denes F, Sarmadi AM, Nayar S, Ying TH, Hop CECA, Young RA: Silicon contamination of polypropylene films from glass reactors in a BCl_3 RF cold plasma 351

Diaz A see Hedrick JL

Domaratius F see Fedtke M

Dušek K see Špirková M

Dvořánek L, Vlček P: Anionic polymerization of acrylates. 7. Polymerization of butyl acrylate initiated by the lithium ester enolate/lithium *tert*-butoxide complex 393

Echevskaya LG, Mohandas TP, Bukatov GD, Zakharov VA, Sehra JC, Sivaram S: Effect of phenyltriethoxysilane as external donor on the microstructure of ethylene-propylene copolymers 69

El-Shahawy MA: Spectral changes of co-doped PVA films in relation to their structures 199

Everland H, Kops J, Nielsen A, Iván B: Living carbocationic polymerization of isobutylene and synthesis of ABA block copolymers by conventional laboratory techniques 159

Fatou JG see Campoy I

Fedtke M, Domaratius F, Walter K, Pfitzmann A: Curing of epoxy resins with dicyaniamide. Model investigations with substituted dicyandiamides 429

Fedtke M see Fryauf K

Frias JB, Lopez FJ, Alonso N, Mendizabal E, Puig JE: Synthesis and characterization of copolymers of styrene and *N*-methylolacrylamide 285

Fryauf K, Strehmel V, Fedtke M: The effect of tertiary amines on the network formation of bisphenol-A diglycidyl ether in reaction with 4,4'-diaminodiphenyl methane 183

Galli G see Angeloni AS

Galy J see Georjon O

Gan LM, Chew CH, Chan HSO, Ma L: Preparation of polyaniline particles in an inverse microemulsion 347

Gedde UW see Gustafsson A

Georjon O, Galy J, Pascault JP, Williams RJJ: Statistical calculations of the network build-up in the postgel stage of A_2-cyclo-trimerization 503

Gießler W, Nonn E, Warning U: Insertion of Cl- and CCl_3-groups during the free radical initiated chain decomposition of 1,4-*cis*-polyisoprene in tetrachloromethane 49

Glatz FP, Mülhaupt R: Syntheses and properties of soluble poly(arylene thioether imide)s and the corresponding poly(arylene sulfone imide)s 137

Glatz FP, Mülhaupt R: Syntheses and thermal properties of aromatic and semi-aromatic polythioetheramides containing oligo- (thio-1,4-phenylene) segments 129

Gómez MA see Campoy I

González-Tejera MJ, Pereña JM, Bello A, Hernandez-Fuentes I: Partial specific volume of thermotropic polybibenzoates with different spacers 111

Grigorescu G, Ioan S, Siminoescu BC: Solvent/solvent/polymer ternary systems. 1. Correlation between experimental data and theoretical predictions for acetonitrile/chlorobutane/poly(methyl methacrylate) system 123
Gustafsson A, Reitberger T, Gedde UW: Electrical degradation of polymers of styrene and substituted styrenes. 2 61

Ha CS, Lee WK, Roe TW, Cho WJ: Compatibility of nylon 6 with poly(vinyl alcohol), hydroxylated poly(vinyl acetate), and poly(vinyl acetate) 359
Haba O see Kakuchi T
Hakkarainen M, Jansson R, Sundholm F: Liquid-crystalline behaviour of some carboxylic acids 43
Hall Jr HK see Lee JY
Hamann B see Schellenberg J
Hashimoto K see Tsubokawa N
Hechavarria OL see Argüelles-Monal W
Hedrick JC see Hedrick JL
Hedrick JL, Allen RD, Diaz A, Hilbom JG, Hedrick JC: A method for rubber toughening powder coatings 715
Helgee B see Svensson M
Hermann D see Svensson M
Hernandez-Fuentes I see González-Tejera MJ
Hilbom JG see Hedrick JL
Hjertberg T see Svensson M
Hoecker F, Karger-Kocsis J: Effects of crystallinity and supermolecular formations on the interfacial shear strength and adhesion in GF/PP composites 707
Hop CECA see Denes F
Huerta P see Trigo RM

Ihara E see Chujo Y
Ilavský M see Špirková M
Ioan S see Grigorescu G
Ishida H see Tsubokawa N
Iván B see Everland H

Jacobs REWE see Vulić I
Janeczek H see Bero M
Jansson R see Hakkarainen M
Jung JC see Chaoi EJ

Kakuchi T, Aoki K, Haba O, Yokota K: Polymeric chiral crown ethers. 9. Synthesis and chiral recognition ability of copolymers with (*S*)-binaphtho-21-crown-6 and D-manno-21-crown-6 units by cyclocopolymerizations of α,ϖ-divinylethers with monovinylether 37
Kaminsky W, Noll A: Copolymerization of norbornene and ethene with homogenous zirconocenes/methylaluminoxane catalysts 175
Kang TJ, Miyata S, Miyaki Y: Preparation and morphology of electrically conductive and transparent poly(vinylchloride)-polypyrrole composite films 593
Karger-Kocsis J: Fracture mechanical characterization and damage zone development in glass fiber matreinforced thermoplastics 235
Karger-Kocsis J see Czigány T
Karger-Kocsis J see Hoecker F
Kasperczyk J see Bero M
Kawanishi K see Asanuma T
Kawasaki T see Chujo Y
Kelen T see Majoros I
Kennedy JP see Majoros I
Kennedy JP see Marsalkó TM
Kim KA see Lee JY
Kim SJ, Reneker DH: A mechanochromic smart material 367
Kitao T see Yoshikawa M
Klee JE, Meyer WH: Synthesis of dye containing epoxide-amine addition polymers and investigation of their thermal and optical properties. 39. Uncross linked epoxide-amine addition polymers 659
Klemm E see Schulze T
Ko JM see Lee JH
Kobatake S see Yamada B
Koivumäki J, Seppälä JV: Comparison of ethylene-propylene copolymers obtained with Ti, V and Zr catalyst systems 441
Komber H see Rillich M
Kops J see Everland H
Kumagai M see Asanuma T
Kuno S see Yoshikawa M

Lalèque N see Boinon B
Laus M see Angeloni AS
Lee JH, Park JW, Ko JM, Chang YH, Choi SK: Synthesis and electrochemical properties of a polynorbornene derivative containing a carbazole moiety 339
Lee JY, Kim KA, Buyle Padias A, Hall Jr HK: Synthesis and radicalpolymerization of *p*-(2,3-dicyano-2,3-dicarbomethoxycyclopropyl)phenyl acrylate and methacrylate 517
Lee WK see Ha CS
Lee YM see Oh BK

Lei H, Zhao Y: An easy way of preparing side-chain liquid crystalline ionomers 645
Li C see Yao Q
Liao CX, Weber WP: Partial and complete hydrogenation of poly(1-methyl-1-phenyl-1-sila-*cis*-pent-3-ene). Synthesis and characterization of poly(1-methyl-1-phenyl-1-silapentane) and *block* copoly(1-methyl-1-phenyl-1-sila-*cis*-pent-3-ene/1-methyl-1-phenyl-1-silapentane) 305
Lim JC, Suzuki M, Saegusa T: Synthesis of functional polymers containing distyrylthiophene moiety using the Heck reaction 651
Lin Y see Zhao Z
Liu L see Yao Q
Lopez FJ see Frias JB
Loubet O see Bessière JM

Ma L see Gan LM
Madkour T, Mark JE: Some evidence on pore sizes in poly(dimethylsiloxane) elastomers having unimodal, bimodal, or trimodal distributions of network chain lengths 615
Maganov SN see Sheiko SS
Magonov SN see Wawkuschewski A
Majoros I, Kennedy JP, Kelen T, Marsalkó TM: Living carbocationic polymerization. LX. Continuous process for the synthesis of *tert*-chlorine ended polyisobutylene (PIB-Cl^t) 255
Majoros I see Marsalkó TM
Malavašič T see Mirčeva A
Marco C see Campoy I
Mark JE see Madkour T
Mark JE see Wang S
Marques MFV, Coutinho FMB: Synthesis of ethylene-propylene-diene terpolymers with supported Ziegler-Natta catalyst 271
Marsalkó TM, Majoros I, Kennedy JP: Multi-arm star polyisobutylenes. 1. Synthesis and proof of structure 665
Marsalkó TM see Majoros I
Mascarenhas OC see Smith DJ
McEwen IJ see Cowie JMG
McLean JA see Zhao Z
Mendizabal E see Frias JB
Meyer WH see Klee JE
Mijs WJ see Rottink JBH
Mirčeva A, Žigon M, Malavašič T: Study of deblocking and crosslinking reactions of a blocked isocyanurate cationomer 75
Miyaki Y see Kang TJ
Miyata S see Kang TJ
Mohandas TP see Echevskaya LG
Möller M see Sheiko SS
Möller M see Wawkuschewski A
Monthéard JP see Boinon B
Mülhaupt R see Demharter S
Mülhaupt R see Glatz FP

Nayar S see Denes F
Nielsen A see Everland H
Nijenhuis K te see Rottink JBH
Noll A see Kaminsky W
Nonn E see Gießler W
Novack KM, Oliveira CMF: Complexation of poly-(methyl methacrylate-g-propylene oxide) and alkali-metal ions 449

Oh BK, Park CK, Lee YM: Dehydration of aqueous pyridine solution through crosslinked chitosan membrane 723
Oliveira CMF see Novack KM
Olmo R see Trigo RM
Oommen Z, Thomas S: Interfacial activity of natural rubber-g-poly(methyl methacrylate) in incompatible natural rubber/poly(methyl methacrylate) blends 623

Park CK see Oh BK
Park IH see Choi EJ
Park JW see Lee JH
Pascault JP see Georjon O
Peniche C see Argüelles-Monal W
Penning JP, de Vries AA, Pennings AJ: The effect of fibre diameter on the drawing behaviour of gel-spun ultra-high molecular weight polyethylene fibres 243
Pennings AJ see Penning JP
Peña B, Delgado JA, Pérez E, Bello A: Crystallinity and thermal properties of ethylene-1-decene copolymers 89
Peppas NA see Anseth KS
Peppas NA see Argade AB
Pereña JM see González-Tejera MJ
Pérez E see Peña B
Petermann J, Broza G, Yang D: The use of light microscopy for investigations of epitaxial growth of polymers on polymeric substrates 465
Pfitzmann A see Fedtke M
Piirma I see Wu WWL
Popa AA see Comăniţă E
Puig JE see Frias JB

Quirk RP, Yoo T: Anionic synthesis of ϖ-1,1-diphenylethylene-terminated polystyrene macromonomers. Rational synthesis of ABC hetero three-armed-star-branched polymers 29

Rabelo D, Coutinho FMB: Cosolvency effects of benzyl alcohol and heptane on the formation of macroporous styrene-divinylbenzene copolymers 585
Reitberger T see Gustafsson A
Reneker DH see Kim SJ
Retuert J, Yazdani-Pedram M: Cocatalyst effect in potassium persulfate initiated grafting onto chitosan 559
Rillich M, Komber H, Böhme F: Polymers containing formamidine groups. 1. Synthesis and characterization of aliphatic polyformamidines 381
Rios P, Bertorello H, Strumia M: Poly(butadiene-acrylic acid(g)acrylonitrile(g)acrylic acid) 293
Rodriguez L see Argüelles-Monal W
Roe TW see Ha CS
Rösch J, Mülhaupt R: Polymers from renewable resources: polyester resins and blends based upon anhydride-cured epoxidized soybean oil 679
Rösch J see Demharter S
Rottink JBH, te Nijenhuis K, Addink R, Mijs WJ: Dynamic mechanical properties of some liquid crystalline polyacrylates 221
Rottink JBH, te Nijenhuis K, Addink R, Mijs WJ: Dynamic mechanical properties of some liquid crystalline polyacrylates 487

Sada K see Chujo Y
Saegusa T see Chujo Y
Saegusa T see Lim JC
Salgado CE see Cárdenas TG
Santa Maria LC see Costa MAS
Sargeant SJ, Bean L, Tapsak MA, Weber WP: The synthesis and characterization of a mesomorphic brush type polycarbosilane: poly[1,1-*bis*(4'-biphenyl)silabutane] 279
Sarmadi AM see Denes F
Schellenberg J, Hamann B: The effect of crosslinking agents on the copolymerization of styrene and *n*-butyl methacrylate 479
Schulze T, Klemm E: New aspects by ring opening polymerization of a spiro ketenacetal 409
Sehra JC see Echevskaya LG
Seppälä JV see Koivumäki J
Sheiko SS, Möller M, Cantow HJ, Maganov SN: Scanning force microscopy of nanofibrillar structure of drawn polyethylene tapes. I. Different modes and tips 693
Sheiko SS see Wawkuschewski A
Shoemake KA see Storey RF
Simionescu BC see Grigorescu G
Simionescu CI see Comăniţă E
Siove A, Bélorgey G: Thermal transitions in poly(*N*-alkyl-3,6-carbazolylene)s 105
Sivaram S see Echevskaya LG
Skarp K see Svensson M
Smith DJ, Mascarenhas OC: Synthesis of an epoxy-based adhesive hydrogel from asymmetrically protected ethylenediamine 297
Špaček P see Špirková M
Špirková M, Budinski-Simendic J, Ilavský M, Špaček P, Dušek K: Formation of poly(urethane-isocyanurate) networks from poly(oxypropylene)diols and diisocyanate 83
Storey RF, Shoemake KA: Poly(glycolic acid) fiber-reinforced bioabsorbable composites with improved interfacial properties 331
Strehmel V see Fryauf K
Strumia M see Rios P
Sundholm F see Hakkarainen M
Suzuki K see Chujo Y
Suzuki M see Lim JC
Svensson M, Helgee B, Hjertberg T, Hermann D, Skarp K: Synthesis and electro-optical behaviour of a new chiral smectic side-chain polysiloxane 167

Tapsak MA see Sargeant SJ
Teijón JM see Trigo RM
Thomas S see Oommen Z
Trigo RM, Blanco MD, Huerta P, Olmo R, Teijón JM: L-Ascorbic acid release from phema hydrogels 577
Trumbo DL: An analysis of the ^{13}-NMR spectrum of poly(*N*-vinyl-2-oxazolidone) 569
Trumbo DL: Free radical copolymerization behavior of myrcene. I. Copolymers with styrene, methyl methacrylate, or *p*-fluorostyrene 629
Trumbo DL: Polymers based on methyl acrylamidoglycolate methyl ether (MAGME): Michael addition - amidation reactions 523
Trumbo DL: Polymers from 2-oxazolidone and dicarboxylic acids 637
Trumbo DL: Preliminary analysis of the ^{1}H- and ^{13}C-NMR spectra of poly(2-vinyl selenophene) 191
Trumbo DL: Preliminary analysis of the 300 MHz ^{1}H-NMR spectrum of poly(3-vinyl benzothiophene) 687
Tsubokawa N, Ishida H, Hashimoto K: Effect of initiating groups introduced onto ultrafine silica on the molecular weight polystyrene grafted onto the surface 457

Vlček P see Dvořánek L
Vries AA de see Penning JP
Vulić I, Jacobs REWE: Thermal catalytic depolymerization of polyamides 55

Walter K see Fedtke M
Wang S, Ahmad Z, Mark JE: A polyamide-silica composite prepared by the sol-gel process 323
Wang S, Mark JE: An experimental study of the unperturbed chain dimensions of poly(tetramethyl-*p*-silphenylene-siloxane) 205
Wano T see Yoshikawa M
Waming U see Gießler W
Watson LM see Cowie JMG
Wawkuschewski A, Cantow HJ, Magonov SN, Sheiko SS, Möller M: Scanning force microscopy of nanofibrillar structure of drawn polyethylene tapes. II. Measurements under water 699
Weber WP see Liao CX
Weber WP see Sargeant SJ
Williams RJJ see Georjon O
Wu WWL, Piirma I: Synthesis and characterization of amphipathic poly(methyl methacrylate)-b-poly(ethylene oxide) diblock copolymers 531
Wu X see Zhao Z

Yamada B, Kobatake S, Aoki S: Preparation of polymer with controlled molecular weight up to high conversion using methyl 2-bromomethylacrylate as a chain transfer agent in radical polymerization 263
Yang D see Petermann J
Yao Q, Liu L, Li C: Studies on electrical conductivity of gamma irradiated polyaniline 601
Yazdani-Pedram M see Retuert J
Ying TH see Denes F
Yokota K see Kakuchi T
Yoo T see Quirk RP
Yoshikawa M, Kuno S, Wano T, Kitao T: Specialty polymeric membranes. 4. Pervaporation separation of acetic acid/water mixtures through modified polybutadiene membranes 607
Yoshimura T: Polymerization of *o*-chloro- and *o*-bromo-substituted phenylacetylenes and polymer properties 511
Young RA see Denes F

Zakharov VA see Echevskaya LG
Zhao Y see Lei H
Zhao Z, Wu X, Lin Y, McLean JA: Synthesis and characterization of a family of wholly aromatic thermotropic liquid crystalline copolyesters 151
Žigon M see Mirčeva A
Zin WC see Chaoi EJ
Zugenmaier P see Aust N

Indexed in *Current Contents*

Subject Index Volume 31 (1993)

A_2-cyclotrimerization, network build-up 503
A_3-homopolymerization 503
ABA block copolymers 159
Acetic acid/water, pervaporation separation 607
Acetonitrile/chlorobutane/poly(methyl methacrylate) 123
α-Acetoxystyrenes, ethylenic groups 415
Acrylates, anionic polymerization 393
-, photopolymerized multifunctional 229
Acrylic esters, controlled polymerization 393
AFM 693, 699
2-Alkyl-2-oxazoline 317
Amino styrene 61
N-(*p*-Aminobenzoyl)-caprolactam (PAC) 421
Aminophenyl-trimethoxysilane 323
3-Aminopropyltriethoxysilane 317
3-Aminopropyltrimethoxysilane 311
Amphipathic block copolymers 531
Aniline, inverse microemulsion 347
Azo initiator, perfluorinated 673
Azobenzene chromophores 367
Azodiisobutyric acid dinitrile 49

BCl_3 RF cold plasma 351
Benzoyl peroxide 531
Bimodal networks 615
Bimolecular termination, free-radical polymerization 673
(*S*)-Binaphtho-21-crown-6 and D-manno-21-crown-6 units 37
Bioabsorbable composites 331
Biodegradation 9, 679
-, polyacrylates 401
-, polymer intermediates 401
Bis-azo initiator, new 15
1,1-Bis(4'-biphenyl)silacyclobutane 279
3,9-Bismethylene-2,4,8,10-tetraoxa-spiro[5,5]undecane 409
Bisphenol-A diglycidyl ether/4,4'-diaminodiphenyl methane 183
1,4-Bis(1-phenylethenyl)benzene 29
N,*N*-Bis(trimethylsilylethylenediamine 297
Blends, miscible 729
Boron-containing polymers 547, 553
Branched polymers 29
(*o*-Bromophenyl)acetylene 511
Butadiene/acrylic acid (BuAA) 293
1,4-Butanediol diglycidyl ether 297
Butyl acrylate, anionic polymerization 393
tert-Butyl-2-lithioisobutyrate 393
Butyl methacrylate colloids 23

ε-Caprolactone/lactide, lithium *t*-butoxide 9
Carbazole-containing polymers 339
Carbosilane 279
4-ω-Carboxyalkoxyphenyl-4'-methoxybenzoates 43
4-Carboxybenzaldehyde 145
Carboxylic acids, LC behaviour 43
Carboxymethyl cellulose/chitosan 471
Chitin 723
Chitosan/carboxymethyl cellulose 471
- films, sodium salicylate release 375
-, grafting 559
- membrane, dehydration of aqueous pyridine solution 723
-, potassium persulfate initiated grafting 559
(2-Chloro-2,4,4'-trimethylpentane 255
p-Chloromethyl styrene 61
(*o*-Chlorophenyl)acetylene 511
Chromophores, azobenzene 367
Coatings, powder 715
Cold plasma chemistry 351
Conducting polymers 593
- -, stiffness of backbone 105
Conductivity, electrical 601
Copolyesters, aromatic thermotropic LC 151
Crown ethers, chiral 37
2-Cyano-2-butylazoformamidoethyl-4-*t*-butylazo-4-cyano pentanoate 15
Cyclopolymerization, α,ω-divinyl ethers, cationic 37
Cyclotrimerization 503

Damage zone, thermoplastics 235
1-Decene, ethylene 89
Demethylsilane/methylhydrosilane 167
Dextrans, adehydic 145
Diamines, aliphatic 381
4,4'-Diaminodiphenyl methane 183
Dicyandiamide, epoxy resins 429
Dicyano compounds, hydroboration 547, 553
p-(2,3-Dicyano-2,3-dicarbomethoxycyclopropyl) phenyl acrylate/methacrylate 517
2,5-Dihalothiophene 651
4,4'-Dihydroxy-α,ω-diphenoxy alkanes/terephthalic acid 97

α,ω-Dihydroxypoly(oxypropylene) 83
p-Dimethylamino styrene 61
N,N-Dimethylbenzylamine 183
ω-1,1-Diphenylethylene-terminated polystyrene 29
trans,trans-2,5-Distyrylthiophene 651
Divinylbenzene 665
-/ styrene, macroporous 585
α,ω-Divinylethers/monovinylether 37
2,5-Divinylthiophene 651

Elastomers, model 615
-, poly(dimethylsiloxane) 615
-, thermoplastic 623
Electroconductivity 659
Emulsion polymerization 285
EPDM elastomers 271
Epitaxial growth/crystallization, thermoplastic polymers 465
Epoxide-amine addition polymers, N-alkylated 659
Epoxy resins 183
- -, dicyandiamide 429
Ethyl β-hydroxybutyrate 401
Ethylene/1-decene 95
Ethylene glycol dimethacrylate 479
Ethylene/propylene 563
- / -, phenyltriethoxysilane 69
- / -, Ti/V/Zr catalysts 441
Ethylene-propylene-diene terpolymers, Ziegler-Natta catalyst 271
Ethylenediamine, epoxidation 297

Failure mode 495
Fiber/matrix adhesion 707
Fibers, reinforcing 707
p-Fluorostyrene, myrcene 629
Free-radical polymerization, bimolecular termination 673
Functional monomers 285
- polymers, piezoelectric activity 517

GF/PP 707
Glass fiber mat-reinforced thermoplastics 235
Guanyl ureas 429

Heck reaction, distyrylthiophene 651
Hexamethylene isocyanurate 75
Hybrid block copolymers 387
Hydroboration polymerization 547
Hydrogels 311
Hydrogels, epoxy-based adhesive 297
-, PHEMA 577
4-Hydroxybenzaldehyde 145
4'-Hydroxybiphenyl-4-carboxylic acid 167
2-Hydroxyethyl methacrylate (HEMA) 577

Imidocarbonates 637
Insulations, electrical degradation 61
Inverse microemulsion, polyaniline 347
Ionomers, side-chain LC 645
Isobutyl vinyl ether (IBVE) 37
Isobutylene 255
-, living carbocationic polymerization 159
Isocyanurate cationomer 75
Isophthalonitrile 547

Lactide/ε-caprolactone, lithium *t*-butoxide 9
LC polymers, ion-containing 645
- -, side chain 487
- -, polyacrylates 221
- -, polybibenzoates, thermotropic 111
Lithium ester enolate/lithium *tert*-butoxide complex 393
Lithium *tert*-butoxide complex 393
Living carbocationic polymerization 159, 255

MBMA 263
Membranes, chitosan/carboxymethyl cellulose 471
-, polybutadiene 607
Mercapto-alcohol, telechelic monodispersed 1
2-Mercaptoethyl ether 1
Metal polymers, poly(*n*-butyl methacrylates) 23
Methacrylate monomer/methacrylic acid comonomer 645
3-Methacryloxypropyltrimethoxysilane 331
Methoxy poly(ethylene oxide) 531
Methylaluminoxane catalysts 175
Methyl 2-bromomethylacrylate 263
Methyl acrylamidoglycolate methyl ether (MAGME) 523
Methyl acryloyloxybenzylidenecyanoacetate 517
Methyl bromocyanoacetate 517
N-Methyldiethanolamine 75
Methyl methacrylate, new initiator 15
-, nitrogen-heterocycles 437
-, radical polymerization 263
7-Methyl-3-methylene-1,6-octadiene 629
2-Methyl-2-oxazoline 311
N-Methylolacrylamide/styrene 285
MgH_2-supported catalysts 271

Michael addition chemistry 523
Miscibility, styrene/methacrylonitrile/methyl methacrylate 729
MMA, new initiator 15
Monoalkylborane monomers 547
Multi-arm radial-star polyisobutylene 665
Myrcene, styrene/MMA/*p*-fluorostyrene 629

Nanofibrils, UHMW PE 693, 699
Natural rubber-g-poly(methyl methacrylate) 623
Nonlinear optical properties (NLO) 415
Norbornene/ethene 175
Nylon 6, poly(vinyl alcohol)/poly(vinyl acetate) 359

Oligo(oxytetramethylene), dihydroxy-terminated 421
2-Oxazolidone/dicarboxylic acids 637
p-Oxybenzoyl diads 387

Palladium-catalyzed polycondensation 651
ψ-Parameter 117
Partial discharges 61
Pentaerythritol 401
- tetraacrylate 229
PEO 531
Pervaporation, membrane separation 607
Phase equilibria, classic theory 117
PHEMA hydrogels, ascorbic acid release 577
p-Phenoxy styrene 61
Phenylacetylenes, *o*-chlor-/*o*-bromo-substituted 511
Phenyltriethoxysilane, ethylene/propylene 69
Phosgene, tetrachloromethane 49
Photopolymerization, multifunctional monomers 229
PIB-Cl' 255
PMMA 531
-/ natural rubber 623
Poly(*N*-alkyl-3,6-carbazolylene)s, thermal transitions 105
Poly(alkyl-4,4'-diphenoxy terephthalate)s, thermal transitions 97
Poly(aminoethylbutyl ether) 297
Poly(arylene sulfone imide)s 137
Poly(arylene thioether imide)s 137
Poly[1,1-*bis*(4'-biphenyl)silabutane] 279
Poly(butadiene-acrylic acid(g)acrylonitrile(g)acrylic acid) 293
Poly(*n*-butyl methacrylates), metal polymers 23
Poly(cyclodiborazane)s 547, 553
Poly(1,1-dimethylsilabutane) 279
Poly(dimethylsiloxane) elastomers 615
Poly(dioxynaphthyleneisophthaloyl)s, isomeric naphthylene links 539
Poly(ethylene oxide) 531
Poly(2-ethyl-2-oxazoline), tetraethoxysilane 317
Poly(glycolic acid), fiber-reinforced 331
Poly(2-hydroxyethyl methacrylate) (PHEMA) 577
Poly(D,L-lactide) 331
Poly(methyl methacrylate)-b-poly(ethylene oxide) 531
Poly(methyl methacrylate-g-propylene oxide), alkali-metal ions 449
Poly(1-methyl-1-phenyl-1-silapentane) 305
Poly(1-methyl-1-phenyl-1-sila-*cis*-pent-3-ene), hydrogenation 305
Poly(MMA) 263
Poly(oxyprpylene)diols/diisocyanate 83
Poly(oxytetramethylene)diol 421
Poly(*p*-phenylenebenzamide) 421
Poly(*p*-phenylene sulfide) 129
Poly(styrene-co-*n*-butyl methacrylate)s 479
Poly(styryl)lithium 29
Poly(tetramethyl-*p*-silphenylene-siloxane) 205
Poly(urethane-isocyanurate) 83
Poly(3-vinyl benzothiophene), NMR 687
Poly(N-vinylcarbazole) 339
Poly(*N*-vinyl-2-oxazolidone) 569
Poly(2-vinyl selenophene), NMR 191
Polyacrylates, LC 221
-, -, dynamic mechanical properties 487
Polyamide-silica, sol-gel process 323
Polyamides, cyclic diamides 55
-, thermal catalytic depolymerization 55
Polyaminosaccharides, chitosan 375
Polyaniline, gamma-irradiated 601
- particles, inverse microemulsion 347
Polyaramide/polyol dispersions, anisotropic 421
Polybibenzoates, thermotropic 111
Polybutadiene membranes 607
Polycarbosilane, mesomorphic brush 279
Polycyanurates 503
Polyelectrolytes 659
- complexes 471
Polyester-amide chain structure 637
- blocks, LC 387
- resins, anhydride-cured epoxidized soybean oil 679
Polyesters, 4,4'dihydroxy-α,ω-diphenoxy alkanes/terephthalic acid 97
-, wholly aromatic, naphthylene units 539
Polyethylene fibers, gel-spun UHMW 243
-, LLDPE 89
-/ polypropylene, high impact 563
- tapes, nanofibrillar 693, 699
Polyformamidines, aliphatic 381
Polyimides, soluble 6F 137

Polyisobutylene, multi-arm star 665
-, *tert*-chlorine ended (PIB-Cl^t) 255
1,4-*cis*-Polyisoprene, chain decomposition 49
Polynorbornene, carbazole moiety 339
Polyolefins, morphology 249
Polyoxazolines 317
-, telechelic trimethoxysilyl-terminated 311
Polypeptide derivatives/surfactant systems 213
- -, water-soluble 213
Polypropylene composites, fiber-reinforced injection-molded 495
- films, silicon contamination 351
-, glass fiber reinforced isotactic 707
-, isotactic 465
-/ polyethylene, high impact 563
-/ vinylsilane 563
Polypyrrole/poly(vinylchloride) 593
Polysilabutanes 279
Polysiloxanes, chiral smectic side-chain 167
-, LC 487
Polystyrene, 1,1-diphenylethylene-terminated 29
- grafted silica 457
-/ polyester blocks 387
-, surface-grafted 457
Polythioetheramides, *o*-(thio-1,4-phenylene) 129
Polyurethane elastomer, mechanochromic 367
- microcomposites 421
- networks 83
-, water-borne/solvent-borne 75
Poly(vinyl acetate), nylon 6 359
Poly(vinyl alcohol), nylon 6 359
Poly(vinylchloride)/polypyrrole 593
Postgel stage, A_2-polycyclotrimerization 503
Potassium persulfate (KPS) 559
Powder coatings, rubber toughening 715
- deposition 715
Propylene/vinylsilane 563
PVA films, doped 199
Pyridine solution, chitosan membrane 723

Radical polymerization, methyl 2-bromomethylacrylate 263
Reinforcing fibers 707
Release, controlled 375, 577
Renewable resources, epoxidized soybean oil 679
Rubber toughening 715

Sebasic acid 637
SFM 693
Silica, polymer-grafted 457
-, ultrafine, polystyrene 457
Smart material, mechanochromic 367
Sodium salicylate release, chitosan 375
Sol-gel process, polyamide-silica 323
Solvent/solvent/polymer ternary systems 123
Soybean oil, epoxidized 679
Spiro ketenacetal 409
Stilbene, benzoyloxy radical 437
Styrene/*n*-butyl methacrylate, crosslinking agents 479
-/ divinylbenzene, benzyl alcohol/heptane 585
-/ methacrylonitrile/methyl methacrylate 729
-/ *N*-methylolacrylamide 285
-, recombination/disproportionation 673
-/ substituted styrenes 61
Styrenic enol esters 415
4-Styrylpyridazine 437

Telechelic monodispersed oligomers 1
Θ-Temperature 117
Terephthalonitrile 547
Terpolymerization, ethylene/propylene, diene 271
Tetraacrylate intermediates 401
Tetraethoxysilane, poly(2-ethyl-2-oxazoline) 317
Tetramethoxysilane 323
Thermoplastics, glass fiber mat-reinforced 235
Thexyborane 553
2-Thiazolidone 637
trans,trans-2,5-Thienylenevinylene-1,4-phenylene-vinylene 651
Thioethers 137
Thiophene derivatives, Heck reaction 651
$TiCl_3$, di-n-butyl ether 249
Titanium-based heterogeneous catalyst, ethylene/propylene 441
TLCPs 151
2,4-Tolylene diisocyanate 83
Triacrylate intermediates 401
Triethyl orthoformate (TEOF) 381
Trimethylol propane triacrylate 229
Tris(triphenylphosphine)rhodium chloride 563

UHMW PE 243, 693, 699
10-Undecenol, radical addition 1

Vanadium catalyst, ethylene/propylene 441
N-Vinyl-2-oxazolidone 569
Volume fraction $\varphi_{2,c}$ 117

Ziegler-Natta catalyst performance 249
Zirconium catalyst, ethylene/propylene 441
Zirconocenes/methylaluminoxane catalysts 175
Zn-catalysis 175